POPULATION ESTIMATES	LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS					
		Per					
Total 2003 Population 43,790	Community Options and MA Waiver	10,000					
'	as HSRS reports costs for services	Staffing - FTE Number Population Total staff 16.4 3.8 Administrative 2.0 0.5					
Population per square mile 33	· ·	Total staff 16.4 3.8					
County ranking in state (1-72) 45	Clients Costs	Administrative 2.0 0.5					
	Clients Costs COP 11 \$268, 411 MA Wai ver *	Public health nurses 4.0 0.9 Other prof. staff 6.6 1.5 Technical/Paraprof. 0.8 0.2 Support staff 3.0 0.7					
Age Female Male Total	MA Walliam *	Other prof. staff 6.6 1.5					
0-14 3, 860 4, 100 7, 980	CI P1A 11 \$604, 851	Techni cal /Paraprof. 0.8 0.2					
0-14 3, 860 4, 100 7, 980 15-19 1, 530 1, 590 3, 120	CI P1B 123 \$3, 846, 349	Support staff 3.0 0.7					
20-24 1, 610 1, 550 3, 160	CI P2 155 \$1, 718, 726	3.0 0.7					
25-29 1, 440 1, 440 2, 880	COP-W 179 \$1,051,416	Fundi ng Per capi ta					
30-34 1, 300 1, 340 2, 640	0014	Fundi ng Per capi ta Total \$1, 258, 508 \$28. 88 Local Taxes \$716, 862 \$16. 45					
35-39 1, 470 1, 480 2, 950	CSLA 0 \$0  Brain Injury 5 \$145, 416  Total COD (Myrc 484 \$7, 244, 759)	Local Taxes \$716, 862 \$16. 45					
40-44 1, 790 1, 760 3, 550	Total COP/Wvrs 484 \$7, 366, 758	Local Taxes \$710,002 \$10.43					
45-54 3, 330 3, 470 6, 800	10tal col7 wv13 404 \$7,300,730	LI CENSED ESTABLI SHMENTS					
55-64 2, 210 2, 290 4, 500	\$574,729 of the above waiver costs						
65-74 1,610 1,380 2,990	were paid as local match/overmatch	Typo Capacity Facilities					
75-84 1, 360 930 2, 290	using COP funds. This amount is	Pod & Proakfact 12 2					
85+ 690 250 950	not included in above COP costs.	Comps 1 212 3					
Total 22, 200 21, 600 43, 790	Hot included in above cor costs.	Uatolo Motolo 1,010 14					
10tai 22,200 21,000 43,790	* Waiver costs reported here	Tourist Dooming 50 10					
Age Female Male Total	* Wai ver costs reported here	Type Capacity Facilities Bed & Breakfast 12 3 Camps 1,313 36 Hotels, Motels 1,082 46 Tourist Rooming 50 19 Pools 34					
Age Female Male Total 0-17 4,760 5,070 9,850	include federal funding.	Restaurants 34					
18-44 8, 240 8, 190 16, 430	Clients Costs						
	CITEMIS COSTS	Vendi ng 10					
45-64 5, 540 5, 760 11, 300 65+ 3, 660 2, 560 6, 230	Eligible and Waiting 126 n/a						
45-64 5, 540 5, 760 11, 300 65+ 3, 660 2, 560 6, 230	waiting 126 11/a						
Total 22, 200 21, 600 43, 790	(Family, Came and money dead in country)	WI C. DADTI CI DANTO					
Deventy Fatimates for 2000	(Family Care not provided in county)	WIC PARTICIPANTS					
Poverty Estimates for 2000		Ni, mala a ra					
Estimate (C.I.+/-)	Note: Elitable and weltle a alterte	Number 5/7					
AIT ages 4, 755 265	Note: Eligible and waiting clients	Pregnant/Postpartum 567					
11.0% (6%)	will be phased into the COP and MA	Infants 576					
Ages 0-17 1, 409 112	Waivers as available.	Infants 567 Children, age 1-4 793 Total 1,936					
All ages 4,755 265 11.0% (6%) Ages 0-17 1,409 112 13.8% (8%)		Total 1, 936					
		CANCED INCLUENCE (COCC)					
EMPLOYMENT		CANCER INCIDENCE (2002)					
Average wage for j obs covered	Home Heal th Agencies 2	Primary Site					
by unemployment compensation \$27,401	Patients 591	Breast 10					
(place of work)	Patients per 10,000 pop. 135	Cervi cal 1					
Annual	l	Col orectal 9					
Labor Force Estimates Average	Nursing Homes 4	Lung and Bronchus 22					
0.11.	Nursing Homes 4 Li censed beds 432 Occupancy rate 90.9% Residents on Dec. 31 400	Prostate 16					
Civilian Labor Force 23, 190	Occupancy rate 90.9%	Other sites 39					
Number employed 21,775	Residents on Dec. 31 400	Total 97					
Number unemployed 1,415	residents ade ob or order						
Civilian Labor Force 23, 190 Number employed 21, 775 Number unemployed 1, 415 Unemployment rate 6.1%	per 1,000 population 60	Note: Totals shown are for					
		i nvasi ve cancers only.					

	. – – – – – – –		NATA	\				
TOTAL LIVE BIRTHS		501	Birth Order		Percent	Marital Status		
TOTALE ET LE BITTUTO		001	First	210	42	of Mother	Bi rths	Percent
Crude Live Birth Rate	7	11. 4	Second	171	3.4	Marri ed	308	61
General Fertility Rat		54. 8	Thi rd	76	15 9	Not married	193	39
General Tertifity Nat	.0	54.0	Fourth or higher		13	Unknown	173	0
live hirthe with rene	nct ad		Unknown	0	0	UTIKTIOWIT	U	U
Live births with repo congenital anomalies	n tea	/ 1 20/	UTIKTIOWIT	U	U	Educadi as		
congenital anomalies		6 1.2%				Education	D: .adla a	D
	D:	ъ .	4 . 5	D:	ъ .	of Mother	Births	Percent
Delivery Type	Births	Percent	1st Prenatal Visit			Elementary or le	ss 0	<u>O</u>
Vagi nal after			1st trimester	440	88	Some high school	35	7
_previ ous cesarean	10	2	2nd trimester	50	10	High school	151	30
Forceps	3	1	3rd trimester	7	1	Some college	166	33
Forceps Other vaginal Primary cesarean	371	74	No visits	50 7 3	1	High school Some college College graduate Unknown	147	29
Primary cesarean	82	16	Unknown	1	<. 5	Unknown	2	<. 5
Repeat cesarean	35	7						
· .			Prenatal Visits	Bi rths	Percent	Smoking Status		
Bi rthwei ght	Bi rths	Percent	No visits	3	1	of Mother	Bi rths	Percent
<1.500 gm	6	1. 2	1-4	13	3	Smoker	111	22
1 500-2 499 am	30	6.0	5-9	92	18	Nonsmoker	389	78
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	464	92.6	10-12	299	60	Unknown	1	<. 5
Unknown	101	/2. 5	13+	92	18	or it court	•	٧. ٥
Officiowii	•	\. 5	Unknown	2	<. 5			
					\. J			
			Low Birthweight		Tri mest	er of First Prenata	I Vici+	
			(under 2 500 am)	1st Tr	imester	2nd Trimester	n visit Other/	/Unknown
Race/Ethnicity	Rirths P	ercent	(under 2.500 am)	1st Tr Rirths	imester	2nd Trimester	Other/	Unknown
Race/Ethni ci ty			(under 2.500 am)	1st Tr Births	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
			(under 2,500 gm) Births Percent 33 6.9	1st Tr Bi rths 426 *	imester	2nd Trimester	Other/	
			(under 2,500 gm) Births Percent 33 6.9 *	Births 426 *	imester Percent 89	2nd Trimester Births Percent 47 10 * .	Other/ Bi rths	Percent 2
			(under 2,500 gm) Births Percent 33 6.9	8i rths 426 * 7	imester Percent 89 70	2nd Trimester Births Percent 47 10 * 2 20	Other/ Bi rths	Percent
			(under 2,500 gm) Births Percent 33 6.9 * 2 20.0	Bi rths 426 * 7 4	imester Percent 89	2nd Trimester Births Percent 47 10 * .	Other/ Bi rths	Percent 2
			(under 2,500 gm) Births Percent 33 6.9 * 2 20.0 . *	Bi rths 426 * 7 4 *	imester Percent 89 70	2nd Trimester Births Percent 47 10 * 2 20	Other/ Bi rths	Percent 2
	Births F 481 3 10 5 1		(under 2,500 gm) Births Percent 33 6.9 * 2 20.0	Bi rths 426 * 7 4	imester Percent 89 70	2nd Trimester Births Percent 47 10 * 2 20	Other/ Bi rths	Percent 2
			(under 2,500 gm) Births Percent 33 6.9 * 2 20.0 * *	Bi rths 426 * 7 4 *	imester Percent 89 70 80	2nd Trimester Births Percent 47 10  * . 2 20 1 20  * . * .	Other/ Bi rths 8 * 1 *	Percent 2
	481 3 10 5 1	96 1 2 1 <. 5 <. 5	(under 2,500 gm) Births Percent 33 6.9  * 2 20.0	8i rths 426 * 7 4 * *	rimester Percent 89 . 70 80	2nd Trimester Births Percent 47 10  * . 2 20 1 20  * . * . * . * . * . * . * . * . * . *	Other/Births 8 * 1*  I Visit	Percent 2 . 10
Whi te BI ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown	481 3 10 5 1 1	96 1 2 1 <.5 <.5	(under 2,500 gm) Births Percent 33 6.9  * 2 20.0  Low Birthweight (under 2,500 gm)	8i rths 426 * 7 4 * * *	i mester Percent 89 . 70 80	2nd Trimester Births Percent 47 10  * . 2 20 1 20 * . * . * . * . * . * . * . * . * . * .	Other/Births 8 * 1 * * Usit Other/	Percent 2
Whi te BI ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother	481 3 10 5 1 1 Fe Bi rths	96 1 2 1 <.5 <.5 	(under 2,500 gm) Births Percent 33 6.9  * 2 20.0	8i rths 426 * 7 4 * * * 1st Tr	rimester Percent 89 . 70 80	2nd Trimester Births Percent 47 10  * . 2 20 1 20  * . * . * . * . * . * . * . * . * . *	Other/Births 8 * 1 * * Usit Other/	Percent 2 . 10
Whi te BI ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother <15	481 3 10 5 1 1  Fe Bi rths	96 1 2 1 <.5 <.5 	(under 2,500 gm) Births Percent 33 6.9  * 2 20.0  Low Birthweight (under 2,500 gm)	Births 426 * 7 4 * * * 1st Tr Births	ri mester Percent 89 . 70 80 . Tri mest ri mester Percent	2nd Trimester Births Percent 47 10  * . 2 20 1 20 * . * . * . * . * . * . * . * . * . * .	Other/ Births 8 * 1 * * * I Visit Other/ Births	Percent 2 . 10
Whi te BI ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown Age of Mother <15 15-17	481 3 10 5 1 1  Fe Bi rths 0 16	96 1 2 1 <.5 <.5 	(under 2,500 gm) Births Percent 33 6.9  * 2 20.0  * * * * * * * * Low Birthweight (under 2,500 gm) Births Percent	8i rths 426 * 7 4 * * 	ri mester Percent 89 . 70 80 . Tri mest ri mester Percent . 63	2nd Trimester Births Percent 47 10  * . 2 20 1 20 * . * . * .  ter of First Prenata 2nd Trimester Births Percent 4 25	Other/ Births 8 * 1 * * * Uisit Other/ Births	Percent 2 . 10
Whi te BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown Age of Mother <15 15-17 18-19	481 3 10 5 1 1  Fe Bi rths 0 16 35	96 1 2 1 <.5 <.5 	(under 2,500 gm) Births Percent 33 6.9  * 2 20.0  . * * * * Low Birthweight (under 2,500 gm) Births Percent 2 5.7	8i rths 426 * 7 4 * * * 1st Tr Bi rths	ri mester Percent 89 . 70 80 . Tri mest ri mester Percent . 63 89	2nd Trimester Births Percent 47 10  * 2 20 1 20 * * * * * * * * * * * * * * * * * * *	Other/Births 8 * 1 * * Usit Other/Births . 2 1	Percent 2 . 10
Whi te BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24	481 3 10 5 1 1  Fe Bi rths 0 16 35 155	96 1 2 1 <.5 <.5 	(under 2,500 gm) Births Percent 33 6.9  * 2 20.0  . * * * Low Birthweight (under 2,500 gm) Births Percent 2 5.7 9 5.8	8i rths 426 * 7 4 * * * 1st Tr Bi rths 10 31 130	ri mester Percent 89 . 70 80 . Tri mest ri mester Percent . 63 89 84	2nd Trimester Births Percent 47 10  * 2 20 1 20 * * * * * * * * * * * * * * * * * * *	Other/Births 8 * 1 * * Usit Other/Births . 2 1	Percent 2 . 10
Whi te BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29	481 3 10 5 1 1  Fe Bi rths 0 16 35 155 138	96 1 2 1 <.5 <.5 	(under 2,500 gm) Births Percent 33 6.9  * 2 20.0  . * * * Low Birthweight (under 2,500 gm) Births Percent . 2 5.7 9 5.8 13 9.4	8i rths 426 * 7 4 * * * 1st Tr Bi rths 10 31 130 129	ri mester Percent 89 . 70 80 . Tri mest ri mester Percent . 63 89 84 93	2nd Trimester Births Percent 47 10  * 2 20 1 20 * * * * * * * * * * * * * * * * * * *	Other/Births  8  * 1  . * * I Visit Other/Births . 2 1 2 2	Percent 2 . 10
Whi te BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34	481 3 10 5 1 1  Fe Bi rths 0 16 35 155 138 104	96 1 2 1 <.5 <.5 	(under 2,500 gm) Births Percent 33 6.9  * 2 20.0  . * * * * Low Birthweight (under 2,500 gm) Births Percent . 2 5.7 9 5.8 13 9.4 7 6.7	1st Tr Bi rths 10 31 130 129 94	ri mester Percent 89 . 70 80 . Tri mest ri mester Percent . 63 89 84 93 90	2nd Trimester Births Percent 47 10  * 2 20 1 20 * * * * * * * * * * * * * * * * * * *	Other/Births  8  * 1  . * * I Visit Other/Births . 2 1 2 2 1	Percent 2 . 10
Whi te BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	481 3 10 5 1 1  Fe Bi rths 0 16 35 155 138 104 46	96 1 2 1 <.5 <.5 	(under 2,500 gm) Births Percent 33 6.9  * 2 20.0  . * * * * * *  Low Birthweight (under 2,500 gm) Births Percent 2 5.7 9 5.8 13 9.4 7 6.7 3 6.5	1st Tr Bi rths 10 31 130 129 94 41	ri mester Percent 89 . 70 80 . Tri mest ri mester Percent . 63 89 84 93 90 89	2nd Trimester Births Percent 47 10  * 2 20 1 20 * * * * * * * * * * * * * * * * * * *	Other/Births 8 * 1 * *	Percent 2 . 10
Whi te BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown   Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	481 3 10 5 1 1  Fe Bi rths 0 16 35 155 138 104 46 7	96 1 2 1 <.5 <.5 	(under 2,500 gm) Births Percent 33 6.9  * 2 20.0  . * * * * Low Birthweight (under 2,500 gm) Births Percent . 2 5.7 9 5.8 13 9.4 7 6.7	1st Tr Bi rths 10 31 130 129 94	ri mester Percent 89 . 70 80 . Tri mest ri mester Percent . 63 89 84 93 90	2nd Trimester Births Percent 47 10  * 2 20 1 20 * * * * * * * * * * * * * * * * * * *	Other/Births  8  * 1  . * * I Visit Other/Births . 2 1 2 2 1	Percent 2 . 10
Whi te BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	481 3 10 5 1 1  Fe Bi rths 0 16 35 155 138 104 46	96 1 2 1 <.5 <.5 	(under 2,500 gm) Births Percent 33 6.9  * 2 20.0  . * * * * * *  Low Birthweight (under 2,500 gm) Births Percent 2 5.7 9 5.8 13 9.4 7 6.7 3 6.5	1st Tr Bi rths 10 31 130 129 94 41	ri mester Percent 89 . 70 80 . Tri mest ri mester Percent . 63 89 84 93 90 89	2nd Trimester Births Percent 47 10  * 2 20 1 20 * * * * * * * * * * * * * * * * * * *	Other/Births 8 * 1 * *	Percent 2 . 10

MORBI DI TY			MOI	RTALLTY		
REPORTED CASES OF SELECTED DISEASES*	Note: Death rates (   neonatal, and   Perinatal and	(except in I postneor I fetal de	nfant) are p natal death eath rates a	per 100,000 population. rates are per 1,000 liv are per 1,000 live birtl culated for fewer than 2	Infant, ve births. ns plus	
Di sease Campyl obacter Enteritis Gi ardi asis Hepatitis Type A Hepatitis Type B** Hepatitis NANB/C Legi onnai re's Lyme Measl es Meni ngi tis, Aseptic Meni ngi tis, Bacterial Mumps Pertussis Sal monel losis Shi gel losis	TOTAL DEATHS	Deaths	Rate	Selected Underlying Cause Heart Disease (total) Ischemic heart disease Cancer (total) Trachea/Bronchus/Lung Colorectal Female Breast Cerebrovascular Disease Lower Resp. Disease Pneumonia & Influenza Accidents Motor vehicle Diabetes Infect./Parasitic Dise	se 73 118 37 13 6 se 31 27 8 14	Rate 226 167 269 84 . * 71 62 46
Tuberculosis 0  * 2003 provisional data.  ** Includes all positive HBsAg test results.	Infant Mortality Total Infant Neonatal Postneonatal Unknown	3 2 1	Rate	* Based on female population of Contributions of California in the Contribution of California in the California in t	6 ulation. E AS UNDERL	YI NG
Sexually Transmitted Disease Chlamydia Trachomatis 113 Genital Herpes 9 Gonorrhea 12 Syphilis 0	Race of Mother White Black Hispanic Laotian/Hmong Other/Unknown		· · ·	Al cohol Other Drugs Both Mentioned * Includes tobacco use	_E CRASHES	
Children in Grades K-12 by Compliance Level Compliant 7,063 Non-compliant 98 Percent Compliant 98.6	Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown  Perinatal Mortality Total Perinatal Neonatal Fetal		Rate	Note: These data are I of crash, not of Type of Motor Vehicle Crash Total Crashes Alcohol-Related With Citation: For OWI For Speeding Motorcyclist Bicyclist Pedestrian	on residenc Persons P Injured 400 68	e.

OI SEASE / AGE GROUP	Number	Per 1, 000 Pop	Average Stay (Days)	Average	Charge	I TALI ZATI ONS DI SEASE / AGE GROUP		Per 1, 000 Pop	Average Stay (Days)	Average Charge	Charge Per Capi ta
nj ury-Rel ated:	Al I					Al cohol -Rel ated	ł				
Total	50	1. 1	5. 5	\$18, 703	\$21	Total	42	1.0	6. 0	\$7, 209	\$7
<18	2					18-44	26	1.6	6. 5	\$6, 624	\$10
18-44	9					45-64	11				
45-64	5					Pneumonia and I	nfl uenza				
45-64 65+	34	5. 5	3. 8	\$9, 593	\$52	Total	93	2. 1	4. 0	\$7, 787	\$17
Injury: Hip F	racture			7.7.	,	<18	1				
Total	9					45-64	12				
65+	9	•	•	·		65+	73	11. 7	4. 2	\$8, 204	\$96
Injury: Poiso		•	•	•	•	Cerebrovascul ar			–	Ψ0/ 20 .	Ψ,σ
Total	2					Total	24	0. 5	2. 9	\$5, 768	\$3
18-44	1	•	•	•	•	45-64	4			40,700	Ψ0
10 11		•	•	•	•	65+	19	•	•	•	
Psychi atri c						Chronic Obstruc		onary D	i sease	•	•
Total	43	1. 0	17 2	\$12, 661	\$12	Total	58	1.3	3. 4	\$6, 245	\$8
<18	6	1. 0	17.2	Ψ12,001	Ψ12	<18	3	1. 3		Ψ0, 243	
18-44	22	1. 3	10 0	\$13, 859	\$19	18-44	4		•	•	•
45-64	4	1. 3	19. 0	\$13,639	="	45-64	15	•	•	•	•
45-64 65+	11	•	•	•	•	65+	36	5. 8	3. 6	\$6, 264	\$36
00+	1.1		•	•	•		30	5. 6	3. 0	ΦO, 204	\$30
Yananamı Ilaant	D: 00000					Drug-Rel ated	0				
Coronary Heart	DI Sease	0 /	3. 3	¢/ 024	<b>#</b> 4	Total 18-44	9 4	•	•	•	•
Total	28	0. 6	ა. ა	\$6, 024	\$4	18-44	4	•	•	•	•
45-64	4	3. 9	3. 6	ф/ <b>Г</b> 4О	ΦΩΓ	Takal Haamitali					
65+	24	3. 9	3. 6	\$6, 540	\$25	Total Hospitali	zations	10 /	4 1	<b>Φ7 Γ</b> 00	<b>#140</b>
And the second of the second						Total	815	18. 6	4. 1	\$7, 529	\$140
Ma <u>l</u> ignant Neopl	asms (Ca	ncers):				<18	30	3. 0	5. 8	\$9, 164	\$28
Total	17 1 4	•	•		•	18-44	134	8. 2	5. 7	\$8, 795	\$72
18-44	1	•	•		•	45-64	143	12. 7	3. 4	\$7, 278	\$92
		•	•	•	•	65+	508	81. 6	3. 7	\$7, 170	\$585
65+	. 12				: .					NO.	
Neoplasms: Fe		ast (ra	tes for	temale po	pulation)	PF					
Total	. 0			•	•	Total	259	5. 9	3. 6	\$6, 785	\$40
Neoplasms: Co		I				<18	7	0. 7	1. 3	\$2, 771	\$2
Total	1					18-44	20	1. 2	2. 8	\$6, 154	\$7
65+	1					45-64	51	4. 5	3. 5	\$7, 267	\$33
Neoplasms: Lu	ıng					65+	181	29. 1	3. 9	\$6, 874	\$200
Total	0										
)i abetes						* Hospitalizations	for cond	itions	where ti	melv and	effectiv
Total	17					* Hospitalizations ambulatory care ca	n reduce	the lik	el i hood	of hospit	alizatio
65+	5	•	•	•	•				.c. 11100d	o. nospi t	Za ti C
	J		•	•	•	1					